

THE NETHERLANDS

(N E D E R L A N D)



EU VEHICLE TYPE-APPROVAL CERTIFICATE

Communication concerning granting/extension/refusal/withdrawal⁽⁴⁾ of

- EU whole vehicle type-approval in accordance with Regulation (EU) 2018/858⁽⁴⁾
- EU whole vehicle type approval with exemptions for new technologies or concepts in accordance with Article 39(2) of Regulation (EU) 2018/858 authorised by the Commission in accordance with Article 39(3) thereof⁽⁴⁾
- Provisional EU whole vehicle type approval with exemptions for new technologies or concepts in accordance with Article 39(2) of Regulation (EU) 2018/858 pending on the authorisation by the Commission in accordance with Article 39(4) thereof. The validity of the EU type approval is thus limited to DD/MM/YYYY⁽⁴⁾
- EU type-approval of vehicles produced in small series in accordance with Article 41 of Regulation (EU) 2018/858⁽⁴⁾
- National type approval of vehicles produced in small series in accordance with Article 42 of Regulation (EU) 2018/858⁽⁴⁾

Of a type of :

- Complete vehicle⁽⁴⁾
- Completed vehicle⁽⁴⁾
- Incomplete vehicle⁽⁴⁾
- Vehicle with complete and incomplete variants ⁽⁴⁾
- Vehicle with completed and incomplete variants⁽⁴⁾

Number of the EU type-approval certificate : e4*2018/858*00044*03

Reason for extension/refusal/withdrawal⁽⁴⁾

: see documentation

SECTION I

0.1.	Make (trade name of manufacturer)	: VOLKSWAGEN, VW / FORD
0.2.	Туре	: SKT
0.2.1.	Commercial name(s) ⁽¹⁰⁵⁾	: Caddy Tripod / Caddy Maxi Tripod / (Grand) Tourneo Connect Tripod



 P.O. Box 777
 Tel. + 31 79 345 83 02

 2700 AT Zoetermeer
 E-mail typeapproval@rdw.nl

 The Netherlands
 www.rdw.nl

Type-approval Department

EU type-approval number: e4*2018/858*00044*03

0.3.	Means of identification of type, if marked on the vehicle	: Stage 1: VIN code: WV2???SK???????? (VW) <u>WF0???SK???????? (FORD)</u>
		Stage 2: Type code: SKT
0.3.1.	Location of that marking	: Stage 1: VW / FORD manufacturer's plate located on co-driver side B-pillar & VIN stamped into front upper RH side member (engine compartment)
		Stage 2: Tripod manufacturer's plate located on RH side B-pillar
0.4.	Category of vehicle ⁽³⁾	: M1 (SH)
0.5.	Company name and address of manufacturer of the incomplete/ complete/completed vehicle ⁽⁴⁾	: Tripod Mobility B.V. Collseweg 10 5674 TR Nuenen The Netherlands
0.5.1.	For multi-stage approved vehicles, company name and address of the manufacturer of the base/previous stage(s) vehicle	: Volkswagen AG Berliner Ring 2 D-38440 Wolfsburg Germany <u>Ford-Werke GmbH</u> <u>Henry-Ford-Straße 1</u> <u>50735 Cologne</u> <u>Germany</u>
0.8.	Name(s) and address(es) of assembly plant(s)	: see documentation
0.9.	Name and address of the manufacturer's representative (if any)	: N/A



Page 2 of 7

EU type-approval number: e4*2018/858*00044*03

SECTION II

1.	Technical service responsible for		
	carrying out the tests (106)	: RDW	
		P.O. Box 777	
		2700 AT Zoetermeer	
		The Netherlands	
2.	Date of test report	: <u>5 September 2022</u>	
3.	Number of test report	: <u>RDW-2018/858-0120573</u>	

The undersigned hereby certifies the accuracy of the manufacturer's description in the attached information document of the vehicle(s) described above, ((a) sample(s) having been selected by the EU type-approval authority and submitted by the manufacturer as prototype(s) of the vehicle type), and that the attached test results are applicable to the vehicle type.

1. For complete and completed vehicles/variants⁽⁴⁾:

The vehicle type meets/does not meet⁽⁴⁾ the technical requirements of all the relevant regulatory acts as prescribed in Annex II to Regulation (EU) 2018/858.

2. For incomplete vehicles/variants⁽⁴⁾: N/A

The vehicle type meets/does not meet⁽⁴⁾ the technical requirements of the regulatory acts listed in the table in part 2 of this certificate

Place

: Zoetermeer

Date

Signature⁽¹⁰⁸⁾

: 5 September 2022



Attachments: - Information package.

- <u>Test results sheet in accordance with the template set out in Annex VI of this</u> <u>Regulation.</u>
- Name(s) and specimen(s) of the signature(s) of the person(s) authorised to sign certificates of conformity and a statement of their position in the company.
- File containing the information referred to in paragraph 2 of Article 39 of Regulation (EU) 2018/858⁽⁴⁾

⁽¹⁰⁵⁾ If not available at the time of granting the type-approval, this item shall be completed at the latest when the vehicle is introduced on the market.

⁽¹⁰⁸⁾ Or visual representation of an 'advanced electronic signature' in accordance with Regulation (EU) No 910/2014 of the European Parliament and of the Council of 23 July 2014 on electronic identification and trust services for electronic transactions in the internal market and repealing Directive 1999/93/EC (OJ L 257, 28.8.2014, p. 73), including data for verification.



⁽⁴⁾ Delete where not applicable (there are cases where nothing needs to be deleted when more than one entry is applicable).

⁽³⁾ Classified according to the definitions set out in Part A of Annex I to Regulation (EU) 2018/858.

 ⁽¹⁰⁶⁾ Please fill in "not applicable" in the case of a step-by-step type-approval, where the approval authority collect the whole set of EU type-approval certificates or UN type-approval certificates, and that authority edited the final whole vehicle type-approval certificate.
 (108) Or visual representation of an 'advanced electronic signature' in accordance with Regulation (EU) No 910/2014 of the European

EU VEHICLE TYPE-APPROVAL CERTIFICATE

Part 2

This EU type-approval is, where incomplete and completed vehicles, variants or versions are concerned, based on the approval(s) for incomplete vehicles listed below:

Stage 1:	Manufacturer of the base vehicle	:	Volkswagen AG Berliner Ring 2 D-38440 Wolfsburg Germany
			<u>Ford-Werke GmbH</u> <u>Henry-Ford-Straße 1</u> <u>50735 Cologne</u> <u>Germany</u>
	Number of the EU type-approval certificate:	:	e13*2018/858*00002*08 e13*2018/858*00270*01
	Dated	:	<u>30 May 2022</u> 27 May 2022
	Applicable to variants or versions (as appropriate)	:	see documentation
Stage 2:	Manufacturer	:	
	Number of the EU type-approval certificate	:	
	Dated	:	
	Applicable to variants or versions (as appropriate)	:	
Stage 3:	Manufacturer	:	
	Number of the EU type-approval certificate	:	
	Dated	:	
	Applicable to variants or versions (as appropriate)	:	

In the case where the approval includes one or more incomplete variants or versions (as appropriate), list those variants or versions (as appropriate) which are complete or completed.

Complete/completed variant(s)

: N/A



EU type-approval number: e4*2018/858*00044*03

List of requirements applicable to the approved incomplete vehicle type, variant or version (as appropriate, taking account of the scope and latest amendment to each of the regulatory acts listed below).

Item	Subject	Regulatory act reference	Last amended	Applicable to variant or, if need be, to version

(List only subjects for which an EU type-approval exists.)

In the case of special purpose vehicles, exemptions granted or special provisions applied pursuant to Part III of Annex II to Regulation (EU) 2018/858, exemptions granted pursuant to Article 39 of Regulation (EU) 2018/858, and exemptions granted pursuant to Article 42 of Regulation (EU) 2018/858:

Item	Subject	Regulatory act reference	Kind of approval and nature of exemption	Applicable to variant or, if need be, to version
1A	Sound level	UNECE Reg. 51		All / All
2.	Emissions (Euro 5 and Euro 6) light duty vehicles/access to information)	715/2007 (EC)	-	All / All
3A.	Prevention of fire risks (liquid fuel tanks)	UNECE Reg. 34		All / All
12A	Interior fittings	UNECE Reg. 21		All / All
15A.	Seats, their anchorages and any head restraints	UNECE Reg. 17		All / All
16A.	External projections	UNECE Reg. 26	exemptions and	All / All
19A.	Safety-belt anchorages, Isofix anchorages systems and Isofix top tether anchorages	UNECE Reg. 14 UNECE Reg. 145	special provisions applied in accordance with Appendix 3, Part	All / All All / All
27A.	Towing device	1005/2010 (EU)	III, annex II of	All / All
31A.	Safety-belts, restraint systems, child restraint systems and Isofix child restraint systems	UNECE Reg. 16	Regulation (EU) 2018/858	All / All
44A	Masses and dimensions	1230/2012 (EU)		All / All
53A.	Protection of occupants in the event of a frontal collision	UNECE Reg. 94		All / All
54A.	Protection of occupants in the event of lateral collision	UNECE Reg. 95		All / All
59.	Recyclability	2005/64 (EC)		All / All



APPENDIX

LIST OF REGULATORY ACTS TO WHICH THE TYPE OF VEHICLE COMPLIES

(to be filled in only in the case of a whole-vehicle type-approval in accordance with Article 22(1)(b) and (c) of Regulation (EU) 2018/858).
(Model according to Regulation (EU) 2018/858 Annex II, as last amended by <u>2021/1445</u>)

Item	Subject ⁽¹⁰⁷⁾	Regulatory act reference ⁽¹⁰⁷⁾	As amended by	Applicable to variant or, if need be, to version	
	See test report				

 $^{(107)}$ In accordance with Annex II to Regulation (EU) 2018/858.



Attachment: 1

Type-approval number: e4*2018/858*00044*03

Contents of the index to the information package

Date of issue: <u>5 September 2022</u>

Last date of revision: --

Revision number: --

Information document number	Date
SKT-2018/858-00044	16 July 2021
SKT-2018/858-00044	25 October 2021
SKT-2018/858-00044	21 February 2022
<u>SKT-2018/858-00044</u>	<u>15 August 2022</u>

Test report number	Date
RDW-2018/858-0101884	3 August 2021
RDW-2018/858-0109478	25 October 2021
RDW-2018/858-0114978	1 March 2022
RDW-2018/858-0120573	5 September 2022

Test results	Date
see attachment; Annex VI, e13*2018/858*00002*04	27 May 2021
see attachment; Annex VI, e13*2018/858*00002*05	16 July 2021
see attachment; Annex VI, e13*2018/858*00002*07	27 December 2021
see attachment; Annex VI, e13*2018/858*00002*08	<u>25 May 2022</u>
see attachment; Annex VI, e13*2018/858*00270*01	<u>19 May 2022</u>

Specimen(s) of signature	Date
Declaration attachment of information document	9 February 2021

Remarks : - documentation 56 pages

- valid for left- and right-hand driven vehicles





TEST REPORT ന്ന

For granting vehicle type-approval with regard to Regulation (EU) 2018/858, as last amended by 2021/1445.

Test rep	ort number	: RDW-2018/858-0120573
0.1.	Make	: VOLKSWAGEN, VW / FORD
0.2.	Туре	: SKT
0.4.	Category of vehicles	: M1
0.5.	Name and address of the manufacturer	: Tripod Mobility B.V. Collseweg 10 5674 TR Nuenen The Netherlands
	Information document - number - dated	: SKT-2018/858-00044 : 15 August 2022
Conclus	the above-mentioned Re	ribed in point 0.1. to 0.5. meets the requirements of gulation (EU). There are no objections to granting bove-mentioned Regulation (EU).
Vehicle	type	

Vehicle type submitted for approval on : 5 September 2022

Inspections carried : A. Kijk in de Vegte out by

> Zoetermeer (NL), 5 September 2022 The test engineer,

RDW A. Kijk in de Vegte

P.O. Box 777 2700 AT Zoetermeer The Netherlands

Tel. + 31 79 345 83 02 E-mail VRTtesten@rdw.nl www.rdw.nl

Test Centre Talingweg 76 8218 NX Lelystad The Netherlands

Test Department

List of contents

- Reason for testing
- Test results
- Approvals

: see below

: page 3

: page 4

List of attached diagrams

Subject	Diagram number

Reason for testing

Introduction of FORD Tourneo Connect (e13*2018/858*00270*01)

Explanation of modification(s)

The base vehicle (acc. e13*2018/858*00002*?? or e13*2018/858*00270*??) has been modified to a wheelchair accessible vehicle with a lowered floor behind the 2nd seating row:

- installation of lowered floor behind 1st or 2nd seat row;

- installation of wheelchair fastening system with 4 points with two electrical belts in front and two removable retractors in the back;

- installation of safety belt with 3 anchorage points for the wheelchair passenger;

- installation of 1 or 2 additional seats w/ 3-point safety belts and anchorages on 2nd seat row (optional SWB);

- (re-)installation of original seat bench with 3-point safety belts and anchorages on 2nd seat row (optional LWB);

- installation of 1 or 2 tip-and-turn seats w/ 3-point safety belts and anchorages on 3rd seat row (optional SWB / LWB);

- installation of modified fuel tank and exhaust system;

- modification of rear bumper & back door with repositioned latch & striker;

- installation of light weight foldable wheelchair ramp

Worst case for testing

Single vehicle selection: All modified items have been checked. No additional testing required for the FORD Tourneo Connect Tripod as the vehicle is identical (except rear bumper), with respect to the by 2nd stage modified items, to the VOLKSWAGEN, VW Caddy (Maxi) Tripod. By that the test reports which show VOLKSWAGEN, VW are also applicable for FORD

Used test equipment

Item	Identification number (make and type)	Calibration papers available
		\sim



Remarks

--



TR-WVTA 2018.858-2019.2144 v1.00

1. Test results

1.1. Verification if all separate EU and ECE Regulations approvals are applicable to the appropriate standard in the relevant separate EU and ECE Regulations : see information document

The separate EU and ECE Regulations approvals are applicable to the appropriate standard in the relevant separate EU and ECE Regulations.

1.2. Verification if the data contained in Part I of the vehicle information document are included in the information package and/or the approval certificates of the relevant separate EU and ECE Regulations

The data of Part I of the information document of the vehicle are included in the information packages and/or the approval certificates of the relevant separate EU and ECE Regulations or in case the information is not included in the information package of any of the regulatory acts, it has been confirmed that the relevant part or characteristic conforms to the particulars in the information folder.

1.3. Verification if the vehicle(s) is/are built in accordance with the relevant data contained in the information package in respect of all separate EU and ECE Regulations for vehicle parts and systems and the installation of technical units.

Vehicle category Criteria	M1	M ₂	M ₃	\mathbf{N}_1	N ₂	N3	O_1	O_2	O ₃	O4
Tested category	↓									
Engine	Х	Х	X	X	X	X				
Gearbox	Х	Х	X	X	X	X				
Number of axles		Х	Х	Х	X	X	X	X	Х	Х
Powered axles (number, position, interconnection)	Х	Х	Х	Х	X	X				
Steered axles (number and position)	X	Х	Х	Х	X	X	Х	Х	Х	Х
Body styles	Х	Х	X	X	X	X	X	X	Х	Х
Number of doors	Х	Х	Х	Х	X	X	X	X	Х	Х
Hand of drive	Х	Х	Х	Х	X	Х				
Number of seats	Х	Х	Х	Х	X	Х				
Level of equipment	Х	Х	Х	Х	X	Х				

2. Checked items:



3. Test vehicle(s)

3.1. Vehicle description

		Test vehicle 1
Туре	:	
Vehicle variant	:	
Vehicle version	:	
Vehicle Identification Number	:	
Engine	:	
Gearbox	:	
Number of axles	:	
Powered axle(s)	:	
Steered axle(s)	:	
Body style	:	
Number of doors	:	
Hand of drive	:	
Number of seats	:	

Remark: administrative assessment



3
5
ö
12
9
80
8
2018/858
0
5
RDW-
A
2
Ľ
þe
E
I
t
LI C
ğ
Ľ
st
Te

No ^(*)	Subject	Approval No	Regulatory act reference	As amended by	Covered Variant/ Version	Conforms/ comment
1A.	Permissible sound level	RDW-51R-0101893	UNECE Reg. 51	am. 03, suppl. 6	All / All	conforms/ N/A
2A.	Emissions (Euro 5 and 6) light-duty vehicles/ access to information	see 1st stage: e13*2018/858*00002*08 e13*2018/858*00270*01	ł	I	IIV / IIV	conforms/ N/A
3A.	Prevention of fire risks (liquid fuel tanks)	RDW-34R-0101892	UNECE Reg. 34	am. 03, suppl. 2	All / All	conforms/ N/A
3B.	Rear underrun protective devices (RUPDs) and their installation; rear underrun protection (RUP)	RDW-58R-0101894	UNECE Reg. 58	am. 03, suppl. 2	All / All	conforms/ N/A
4 A .	Space for mounting and fixing rear registration plates	see 1st stage: e13*2018/858*00002*08 e13*2018/858*00270*01	ł	ł	All / All	conforms/ N/A
5A.	Steering equipment	see 1st stage: e13*2018/858*00002*08 e13*2018/858*00270*01	ł	ł	All / All	conforms/ N/A
6A.	Vehicle access and manoeuvrability	see 1st stage: e13*2018/858*00002*08 e13*2018/858*00270*01	ł	ł	All / All	conforms/ N/A
6B.	Door latches and door retention components	RDW-11R-0101886	UNECE Reg. 11	am. 04, suppl. 2	IIV / IIV	conforms / N/A

^(*) Numbers according to Annex II of Directive 2018/858/EC.

Page 6 of 18

RDW

conforms/N/A conforms/N/A conforms/N/A conforms/N/A conforms / N/A conforms/N/A conforms / N/A conforms/N/A conforms / N/A Conforms/ comment Page 7 of 18 All / All Variant/ RDW Covered Version All / All AII / AIIAlla am. 01, suppl. 4 As amended by am. 09, suppl. 1 ł am. 04, suppl. ł ł ł ł ł ł UNECE Reg. 26 UNECE Reg. 21 UNECE Reg. 17 **Regulatory act** reference ł ł ł ł ł ł e13*2018/858*00002*08 e13*2018/858*00002*08 e13*2018/858*00002*08 e13*2018/858*00002*08 e13*2018/858*00002*08 e13*2018/858*00002*08 e13*2018/858*00270*01 e13*2018/858*00270*01 e13*2018/858*00270*01 e13*2018/858*00270*01 e13*2018/858*00270*01 e13*2018/858*00270*01 RDW-21R-0101890 RDW-17R-0109480 RDW-26R-0120575 Approval No see 1st stage: see 1 st stage: Devices for indirect vision and their installation Seats, their anchorages and any head restraints Protection of the driver against the steering Audible warning devices and signals Protection of motor vehicles against mechanism in the event of impact Electromagnetic compatibility TR-WVTA 2018.858-2019.2144 v1.00 Braking of passenger cars External projections unauthorised use Interior fittings No^(*) Subject 12A. 15A. 10A. 14A. 16A. 13B. 7A. 8A. 9B.

No ^(*)) Subject	Approval No	Regulatory act reference	As amended by	Covered Variant/ Version	Conforms/ comment
17A.	Vehicle access and manoeuvrability	see No 6A				
17B.	Speedometer equipment including its installation	see 1st stage: e13*2018/858*00002*08 e13*2018/858*00270*01	ł	ł	All / All	conforms / N/A
18A.	Manufacturer's statutory plate and vehicle identification number	see lst stage: e13*2018/858*00002*08	ł	I	All / All	conforms / N/A
		e13*2018/858*00270*01 2 nd stage: see appendix below	(EU) 19/2011	(EU) 249/2012	All / All	conforms/ N/A
19A.		RDW-14R-0109479	UNECE Reg. 14	am 09, supp. 1	All / All	conforms / N/A
	ISOLIX ALICHOTAGES SYSTEMS AND ISOLIX TOP TELNET anchorages	RDW-145R-0114979	UNECE Reg. 145	am 00, supp	All / All	conforms/see remarks
20A.	Installation of lighting and light-signalling devices on vehicles	see 1st stage: e13*2018/858*00002*08 e13*2018/858*00270*01	ł	ł	All / All	conforms/ N/A
21A.	Retro-reflecting devices for power-driven vehicles and their trailers	covered by No 20A				
22A.	Front and rear position lamps, stop-lamps and end-outline marker lamps for motor vehicles and their trailers	covered by No 20A				

TR-WVTA 2018.858-2019.2144 v1.00

covered by No 20A

22B. Daytime running lamps for power-driven vehicles



N0 ^(*)	No ^(*) Subject	Approval No	Regulatory act reference	As amended by	Covered Variant/ Version	Conforms/ comment
22C	Side-marker lamps for motor vehicles and their trailers	covered by No 20A				
23A.	Direction indicators for power-driven vehicles and their trailers	covered by No 20A				
24A.	Illumination of rear-registration plates of power- driven vehicles and their trailers	covered by No 20A				
25A.	Power-driven vehicle's sealed-beam headlamps (SB) emitting an European asymmetrical passing beam or a driving beam or both	covered by No 20A				
25B.	Filament lamps for use in approved lamp units of power-driven vehicles and their trailers	covered by No 20A				
25C.	Motor vehicle headlamps equipped with gas- discharge light sources	covered by No 20A				
25D.	Gas-discharge light sources for use in approved gas-discharge lamp units of power-driven vehicles	covered by No 20A				
25E.	Motor vehicle headlamps emitting an asymmetrical passing beam or a driving beam or both and equipped with filament lamps and/or LED modules	covered by No 20A				
25F.	Adaptive front-lighting systems	covered by No 20A			(
	(AFS) for motor vehicles	covered by No 20A				
	TR-WVTA 2018.858-2019.2144 v1.00				RDW	Page 9 of 18

3
io.
Ö
2
5
T
82
òò.
$\mathbf{\hat{s}}$
÷.
2018/858
4
\geq
5
RDW-2
2
er: R
ber: R
mber: R
umber: R
number: R
rt number: R
ort number: R
port number: R
oort number:
oort number:
oort number:
oort number:

$N_0^{(*)}$	¹⁾ Subject	Approval No	Regulatory act reference	As amended by	Covered Variant/ Version	Conforms/ comment
26A.	. Power-driven vehicle front fog lamps	covered by No 20A				
27A.	. Towing device	see 1st stage: e13*2018/858*00002*08 e13*2018/858*00270*01	ł	ł	All / All	conforms / N/A
28A.	. Rear fog lamps for power-driven vehicles and their trailers	covered by No 20A				
29A.	. Reversing lights for power-driven vehicles and their trailers	covered by No 20A				
30A.	. Parking lamps for power-driven vehicles	covered by No 20A				
31A.	. Safety-belts, restraint systems, child restraint systems and Isofix child restraint systems	RDW-16R-0101888	UNECE Reg. 16	am. 07, suppl. 6	All / All	conforms / N/A
32A.	. Forward field of vision	see 1st stage: e13*2018/858*00002*08 e13*2018/858*00270*01	ł	ł	All / All	conforms/ N/A
33A.	. Location and identification of hand controls, tell-tales and indicators	see 1st stage: e13*2018/858*00002*08 e13*2018/858*00270*01	ł	ł	All / All	conforms / N/A
34A.	. Windscreen defrosting and demisting systems	see 1st stage: e13*2018/858*00002*08 e13*2018/858*00270*01	ł	ł	All / All	conforms/ N/A
	TR-WVTA 2018.858-2019.2144 v1.00				A STATEMENT	Page 10 of 18

$N_0^{(*)}$	Subject	Approval No	Regulatory act reference	As amended by	Covered Variant/ Version	Conforms/ comment
35A.	Windscreen wiper and washer systems	see 1st stage: e13*2018/858*00002*08 e13*2018/858*00270*01	ł	1	All / All	conforms/ N/A
36A.	Heating systems	see 1st stage: e13*2018/858*00002*08 e13*2018/858*00270*01	ł	I	All / All	conforms/ N/A
37A.	Wheel guards	see 1st stage: e13*2018/858*00002*08 e13*2018/858*00270*01	I	I	All / All	conforms/ N/A
38A.	Head restraints (headrests), whether or not incorporated in vehicle seats	covered by No. 15A				
41A.	Emissions (Euro VI) heavy duty vehicles/access to information	-	ł	ł	I	conforms / N/A
43 A .	Spray suppression systems	1	I	ł	ł	conforms /N/A
44 A .	Masses and dimensions	RDW-1230/2012-0120574	(EU) 1230/2012	(EU) 2019/1892	All / All	conforms/ N/A
45A.	Safety glazing materials and their installation on vehicles	see 1st stage: e13*2018/858*00002*08	ł	1	All / All	conforms/ N/A
46A.	Installation of tyres	e13*2018/858*00270*01 see 1st stage: e13*2018/858*00002*08 e13*2018/858*00270*01	I	I	All/All	conforms / N/A
	TR-WVTA 2018.858-2019.2144 v1.00				RDW	Page 11 of 18

No ^(*)	Subject	Approval No	Regulatory act reference	As amended by	Covered Variant/ Version	Conforms/ comment
46B.	Pneumatic tyres for motor vehicles and their trailers (Class C1)	see 1st stage: e13*2018/858*00002*08 e13*2018/858*00270*01	I	I	All / All	conforms/ N/A
46D.	Tyre rolling sound emissions, adhesion on wet surfaces and rolling resistance (Classes C1, C2 and C3)	see 1st stage: e13*2018/858*00002*08 e13*2018/858*00270*01	1	ł	All / All	conforms/ N/A
46E.	Temporary-use spare unit, run-flat tyres/system and tyre pressure monitoring system	see 1st stage: e13*2018/858*00002*08 e13*2018/858*00270*01	ł	ł	All / All	conforms/ N/A
47A.	Speed limitation of vehicles	see 1st stage: e13*2018/858*00002*08 e13*2018/858*00270*01	ł	1	All / All	conforms/ N/A
53A.	Protection of occupants in the event of a frontal collision	N/A	I	I	I	conforms /N/A
54A. 58.	Protection of occupants in the event of lateral collision Pedestrian protection	N/A see 1st stage: e13*2018/858*0002*08 e13*2018/858*00270*01	1 1	1 1	All / All	conforms /N/A conforms/ N/A
	TR-WVTA 2018.858-2019.2144 v1.00				RDW	Page 12 of 18

$\mathbf{N_0}^{(*)}$	No ^(*) Subject	Approval No	Regulatory act reference	As amended by	Covered Variant/ Version	Conforms/ comment
	Braking (brake assist)	see 1st stage: e13*2018/858*00002*08 e13*2018/858*00270*01	ł	ł	All / All	conforms/ N/A
59.	Recyclability	•	ł	ł	ł	conforms / N/A
61.	Air-conditioning systems	see 1st stage: e13*2018/858*00002*08 e13*2018/858*00270*01	ł	ł	All / All	conforms/ N/A
62.	Hydrogen system	1	I	I	ł	conforms/N/A
63.	General Safety	see 1st stage: e13*2018/858*00002*08 e13*2018/858*00270*01	ł	ł	All / All	conforms/ N/A
64.	Gear shift indicators	see 1st stage: e13*2018/858*00002*08 e13*2018/858*00270*01	ł	ł	All / All	conforms/ N/A
67.	Specific components for liquefied petroleum gases (LPG) and their installation on motor vehicles	1	ł	ł	1	conforms /N/A
68.	Vehicle alarm systems (VAS)	covered by No 13B				
69.	Electric safety	1	ł	I	I	conforms /N/A
70.	Specific components for CNG and their installation on motor vehicles	1	I	I		conforms /N/A
	TR-WVTA 2018.858-2019.2144 v1.00				RDW	Page 13 of 18

No ^(*) Subject	Approval No	Regulatory act As an reference	As amended by	Covered Variant/ Version	Conforms/ comment
72. eCall system	see 1st stage: e13*2018/858*00002*08 e13*2018/858*00270*01	I	I	All / All o	conforms / N/A
The vehicle(s) is/are b Remarks .	The vehicle(s) is/are built in accordance with the relevant data contained in the information package of all separate approvals and the installation of the separate technical units.	age of all separate approvals a	nd the installati	on of the separate te	cchnical units.
CoC	Checked and approved				
RMI	Checked and approved				
Item 2A.	Changes to the exhaust system are permitted as specified by Regulation (EU) 2018/858 Annex II, Part III, Appendix 3.	n (EU) 2018/858 Annex II, Par	t III, Appendix	3.	
Item 3A.	OEM fuel tank relocated on the LWB versions. Modifications, as specified by Regulation (EU) 2018/858 Annex II, Part III, Appendix 3, are permitted	ified by Regulation (EU) 2018/	858 Annex II, 1	Part III, Appendix 3.	, are permitted
Item 8A.	The installation of a wheelchair ramp does affect the rear field of vision of the interior rear-view mirror. The right and left OEM exterior rear-view mirrors remain unchanged and meet the requirements.	n of the interior rear-view mirr	or. The right an	id left OEM exterior	r rear-view
Item 15A:	Sufficient space is provided for a wheelchair as specified by Regulation (EU) 2018/858 Annex II, Part III, Appendix 3. See also information document.	n (EU) 2018/858 Annex II, Par	t III, Appendix	3. See also informa	tion document.
Item 18A.	The statutory plate of completed vehicle has been checked in accordance with Regulation (EU) No 19/2011 and meets the requirements laid down in this Regulation; see appendix	ce with Regulation (EU) No 19	//2011 and mee	ts the requirements	laid down in
Item 19A	Tests have been performed for the wheelchair and occupant restraint system as specified by Regulation (EU) 2018/858 Annex II, Part III, Appendix 3; see appendix Isofix anchorages systems and Isofix top tether anchorages are only applicable for 2 nd row OEM seating positions and 3 rd row TriflexAIR.	/stem as specified by Regulatic plicable for 2 nd row OEM seati	n (EU) 2018/8: ng positions an	58 Annex II, Part III d 3 rd row TriffexAIF	l, Appendix 3; R.
Item 27A.	Rear towing device deleted by the modification and therefore not appli Annex II, Part III, Appendix 3.	therefore not applicable. Only a front towing is permitted, as specified by Regulation (EU) 2018/858	mitted, as speci	ified by Regulation ((EU) 2018/858
				MUR	
IR-WVIA 2018.858-2019.2144 v1.00	2019.2144 v1.00				Page 14 of 18

3
573
ដ
H
9
58-01
8
Sec.
ĩ
2
С.
3
A
RDW-2018/858-
-
er.
ă
Ξ
n
Ц
t
0
ep
2
st
ِق

Item 31A	The integrated restraint systems for the wheelchair and occupant meets the requirements of the Regulation and as specified Regulation (EU) 2018/858 Annex II, Part III, Appendix 3; see appendix
Item 44A	Consideration has been made of the effects of carrying a wheelchair as by Regulation (EU) 2018/858 Annex II, Part III, Appendix 3. Number of rear passengers may need to be reduced when transporting a wheelchair (160 kg). Limitation in passenger capacity shall be included on the certificate of conformity.
Item 50A.	The special use of the stage 2 vehicle requires the definite removal of any rear coupling device.
Item 53A	Not applicable, as specified Regulation (EU) 2018/858 Annex II, Part III, Appendix 3.
Item 54A	Not applicable, as specified Regulation (EU) 2018/858 Annex II, Part III, Appendix 3.
Item 59.	Multistage vehicles and wheelchair accessible vehicles are exempted from recyclability as by Regulation (EU) 2018/858 Annex II, Part III, Appendix 3





Appendix

Additional requirements for wheelchair accessible vehicles according to Annex II, Part III, Appendix 3

2. General requirements

- 2.1. Each wheelchair location shall be provided with anchorages to which a wheelchair tie-down and occupant restraint system (WTORS) shall be fitted. : pass
- 2.2. The wheelchair occupant's lower belt anchorages shall be located in accordance with UN Regulation No 14.07, paragraph 5.4.2.2, relative to Point P on the SWC, when placed in the travelling position designated by the manufacturer. The upper actual anchorage(s) shall be located at least 1 100 mm above the horizontal plane passing through the points of contact between the rear tyres of the SWC and the vehicle floor. That condition shall still be satisfied after the test carried out in accordance with point 3 below.
- 2.3. An assessment shall be made of the WTORS occupant belt to ensure compliance with the UN Regulation No 16.06, paragraphs 8.2.2 to 8.2.2.4 and 8.3.1 to 8.3.4.
- 2.4. The minimum number of ISOFIX child seat anchorages need not to be provided. In the case of a multi-stage type-approval where an ISOFIX anchorage system has been affected by the conversion, either the system shall be re-tested or the anchorages shall be rendered unusable. In the latter case the ISOFIX labels shall be removed and appropriate information shall be given to the vehicle purchaser.
- 3. Static in-vehicle testing
- 3.1. Wheelchair occupant restraint anchorages
- 3.1.1. The wheelchair occupant restraint anchorages shall resist the static forces prescribed for occupant restraint anchorages in UN Regulation No 14.07, simultaneously with the static forces applied to the wheelchair tie- down anchorages as specified in point 3.2 of this below : N/A
- Wheelchair tie-down anchorages
 The wheelchair tie-down anchorages shall resist the following forces, for at least 0,2 seconds, applied via the SWC (or a suitable surrogate wheelchair having a wheelbase, seat height and tie-down attachment points in accordance with the specification for the SWC), at a height of 300 +/- 100 mm from the surface on which the SWC rests: N/A



: pass; see test reports RDW-14R-0101887 RDW-14R-0109479

- : pass; see test report RDW-16R-0101888
- : applicable; see remarks item 19A

Page 16 of 18

3.2.1.	In the case of a forward-facing wheelchair, a simultaneous force, coincident with the force applied to the occupant restraint anchorages, of 24,5 kN, and	: N/A
3.2.2.	a second test applying a static force of 8,2 kN directed towards the rear of the vehicle.	: N/A
3.2.3.	In the case of a rearward-facing wheelchair, a simultaneous force, coincident with the force applied to the occupant restraint anchorages, of 8,2 kN, and	: N/A
3.2.4.	a second test applying a static force of 24,5 kN directed towards the front of the vehicle.	: N/A
3.3.	Components of the system	
3.3.1.	All components of the WTORS shall meet the relevant requirements of international standard ISO 10542- 1:2012. However, the dynamic test specified in Annex A and paragraphs 5.2.2 and 5.2.3 of international standard ISO 10542-1:2012 shall be carried out on the complete WTORS using the vehicle anchorage geometry instead of the test geometry specified in Annex A of international standard ISO 10542-1:2012. This may be carried out within the vehicle structure or on a surrogate structure representative of the vehicle's WTORS anchorage geometry. The location of each anchorage shall lie within the tolerance provided for in paragraph 7.7.1 of UN Regulation No 16.06.	: pass; see test reports RDW-17R-0101889 RDW-17R-0109480
3.3.2.	Where the occupant restraint part of the WTORS is approved in accordance with UN Regulation No 16.06, it shall be subject to the dynamic test of the complete WTORS specified in paragraph 3.3.1 of this Appendix but the requirements of paragraphs 5.1, 5.3 and 5.4 of international standard ISO10542-1:2012 shall be considered to have been met.	: N/A
4.	Dynamic in-vehicle testing	
4.1.	The full assembly of the WTORS system shall be tested by an in- vehicle dynamic test in accordance with paragraphs 5.2.2 and 5.2.3 and Annex A of international standard ISO 10542-1:2012, testing all components/anchorages simultaneously, using a vehicle body-in-white or representative structure.	: pass; see test reports RDW-17R-0101889 RDW-17R-0109480
4.2.	The component parts of the WTORS shall meet the relevant requirements of international standard ISO 10542- 1:2012, paragraphs 5.1, 5.3 and 5.4. These requirements shall be deemed to have been met	

in respect of the occupant restraint if it is approved in accordance with

: pass; see test reports RDW-17R-0101889 RDW-17R-0109480



UN Regulation No 16.06.

Page 17 of 18

4. Identification of the vehicle

4.1.	 Vehicle identification number (a) The identification number of the base vehicle (VIN) prescribed by Regulation (EU) No. 19/2011 shall be retained during all the subsequent stages of the type-approval process to ensure the 'traceability' of the process (b) However, at the final stage of completion, the manufacturer concerned by this stage may replace, in agreement with the approval authority, the first and second sections of the vehicle identification number by his own vehicle manufacturer code and the vehicle identification code if, and only if, the vehicle has to be registered under his own trade name In such a case, the complete vehicle identification number of the	: pass; see stage 1 : N/A
4.2.	base vehicle shall not be deleted Additional manufacturer's plate	:
	At the second and subsequent stages, in addition to the statutory plate prescribed by Regulation (EU) No. 19/2011, each manufacturer must affix to the vehicle an additional plate the model of which is shown in the appendix to this Annex. This plate must be firmly attached, in a conspicuous and readily accessible position on a part not subject to replacement in use It must show clearly and indelibly the following information in the order listed	: pass
	- name of the manufacturer	: pass
	- Sections 1, 3 and 4 of the EC type-approval number	: pass
	 maximum permissible laden mass of the vehicle maximum permissible laden mass of the combination (where the 	: pass
	vehicle is permitted to tow a trailer)maximum permissible mass on each axle, listed in order from front	: pass
	to rear - in the case of a semi-trailer or centre axle trailer, the maximum	: pass
	permitted mass on the coupling device Unless otherwise provided for above, the plate must comply with the	: N/A
	requirements of Regulation (EU) No. 19/2011	: pass

